E-3 Hand Sanitizer/Antiseptic

Features	BAC STOP 3A is a premium pH balanced formula that is mild on skin, yet tough enough to exceed FDA/USDA efficacy guidelines for E3 hand sanitizers and antiseptic hand treatments. BAC Stop 3A contains glycerine which leaves hands feeling soft and moisturized. BAC STOP 3A is a mild blend of skin emollients and alcohols.		
Recommendations	BAC STOP 3A is intended for use as a no-rinse hand sanitizer for using in food plant environments		
Physical Properties	Color	Clear	
	Alcohol %	65% Ethanol	
	Scent	Slight alcohol odor	
	Density (20 °C)	0.89 g/mL (7.40 lbs/gal)	
	Viscosity (20 °C)	5-15 cSt	
	pH	5-8	
	Biodegradable	100%	
Directions for Use	 Wash hands using Bac Stop 2 or equivalent. Hands must be clean before use. Apply generous amount of Bac Stop 3A to cover entire surface of the hand including cuticles and wrists. 		
	3) Vigorously rub hands together until dry.		
-	4) Do not rinse or towel-dry hand	s.	
Packaging	This product is available in 4 x 1 gal cases, and 5 gal pails, and 55 gal drums. Larger sizes on request.		

ENVIROTECH

Important: Read and understand label and Safety Data Sheet (SDS) for complete listing of hazards, precautions, first aid statements, and storage and handling information. SDS are available from the distributor of this product. 24-Hour Emergency Response Line 14800-255-3924.

Prod. #706

ENVIRO TECH CHEMICAL SERVICES, INC. 500 Winmoore Way, Modesto, CA 95358 (209) 581-9576 All information and statements contained herein are believed to be accurate at the time of publication, but Enviro Tech Chemical Services, Inc. makes no warranty with respect therato, including but not limited to any results to be obtained or the intringement of any proprietary rights. Use or application of such information or statements is at user's sole discretion, without any liability on the part of Enviro Tech. Nothing herein shell be construed as a license of or recommendation for use which infringes upon any proprietary rights. Use of this product shall be the sole responsibility of user, and Enviro Tech shall not be liable in any way for said use, other than reimbursement for the actual cost of product.

BAC STOP 3A ANTIMICROBIAL HAND SANITIZER

E3 Rated USDA

WARNING

PERSONAL PROTECTION

GUIDE:

A = Safety Glasses B = Safety Glasses & Gloves C = Safety Glasses, Gloves, Protoctive Bult &

G = Safety Glasses or Face Shiald, Gloves & Vapor Raspirator H = Safety Glasses, Gloves, Protective Suit &

Boots, & Vapor Respirator

X = Special Equipment

E = Safety Glasses, Gloves & Dust Mask F = Safety Glasses, Gloves, Protective Suit &

Boots & Dust Mask

D = Gloves, Protective Suit & Boots, &

Boots

Face Shield

HMIS HAZARD EXPOSURE RATING: 0=Minimal; 1=Slight; 2=Moderate; 3= High;

4=Extreme

 \circ

PERSONAL PROTECTION

HMIS RATINGS:

FLAMMABILITY REACTIVITY

HEALTH

HAZARD STATEMENTS: CAUSES SERIOUS EYE IRRITATION. FLAMMABLE LIQUID AND VAPOR. is product is a high-quality Antimicrobial Hand Sanifizer that meets or exceeds the requirements of the USDA to be used as an E3 antimicrobial hand sanitizers. This product complies with the W.H.O. specifications and requirements for an effective hand sanitizer.

Active Ingredient: Ethanol, denatured.

D.O.T. and Hazard Information:

866 T N D

Flammable Liquid, n.o.s., (Ethanol), 3, PG III

Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/light/squipment Keep container tightly closed. Use only non-sparking tools

Keep away from heat/sparks/open flames/hot surfaces - No smoking.

PRECAUTIONARY STATEMENTS:

EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue Take precautionary measures against static discharge Wash hands thoroughly after handling

g. E IRRITATION PERSISTS: Cet medical advice/attention.

FOR INDUSTRIAL OR FOOD PLANT USE ONLY KEEP OUT OF THE REACH OF CHILDREN.

r contents:

24 Hour Emergency Transportation Number: 1-800-255-3924

www.envirotech.com

CHEMICAL SERVICES, INC. MODESTO, CA 95358

Modern Solutions by:

706-1

Page 1 of 4

Enviro Tech Chemical Services, Inc. 500 Winmoore Way Modesto, CA 95358

SAFETY DATA SHEET

1 1.5 \mathbf{h}_{i} SECTION 1-IDENTIFICATION 20 aL.

BAC STOP 3A Product Identifier.

Antiseptic Hand Sanifizer Product Use:

Alcohoi Chemical Family:

Enviro Tech Chemical Services, Inc. 500 Winmoore Way Modesto, CA 95358 (209) 581-9576 (7 AM to 5 PM, PST, Monday to Friday)

1-800-255-3924 24 Hr. Emergency Tel.#:

SECTION 2 - HAZARDS IDENTIFICATION enco

Classification of the Substance or Mixture:

Eve Initiation - Category 2 Flammable Liquids - Category 3

Signal Word: WARNING

Hazard Statements:

Causes serious eye initiation Fiammable liquid and vapor

Precautionary Statements:

Prevention

Wear eye protection.

Keep away from heat/sparks/open flames/hot surfaces - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/light/equipment

Lise only non-sparking tools

Take precautionary measures against static discharge

Response

In case of fire: Use water for extinction.

IF IN EYES; Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

IF EYE IRRITATION PERSISTS: Get medical advice/attention.

Storage

Store in a well ventilated place. Keep cool.

Disposal

Dispose of contents/container in accordance with local regulations.

Hazards not Otherwise Classified:

No other hazards classified.

SECTION 3 - COMPOSITIO		

Ingredient	Synonym	CAS Number	Concentration
ETHANOL	ETHYL ALCOHOL	64-17-5	60-70%
GLYCERINE	GLYCEROL	56-81-5	3-7%





Product Code:

708

Page 2 of 4

de la des

Enviro Tech Chemical Services, Inc. 500 Winmoore Way Modesto, CA 95358

SAFETY DATA SHEET

SECTION 4 - FIRST-AID MEASURES

Inhatation: Remove source of exposure or move person to fresh air and keep comfortable for breathlog. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by the POISON CENTER/doctor.

Skin Contact: This product is non-hazardous when in contact with skin.

Eye Contact: Remove source of exposure or move person to fresh air. Rinse eyes cautiously with fukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for 15-20 minutes. Take care not to rinse contaminated water into the unaffected eye or into the face. If eye inflation persists: Get medical advice/attention.

Ingestion: Rinse mouth. Do NOT induce vomiting, Immediately call a POISON CENTER/doctor. If vomiting occurs naturally, lie on your side, in the recovery position.

Most Important Symptoms and Effects, both Acute and Delayed: Contact with eye can cause withation.

Indication of any Immediate Medical Attention and Special Treatment Needed: Treat symptomatically

SECTION 5 - FIRE-FIGHTING MEASURES

Extinguishing Media: Use water spray, powder, foam, carbon dioxide.

Special hazards arising from the substance of mixture: Emits toxic fumes under fire conditions.

Flammability classification (OSHA 29 CFR 1910.106) (Hazcom 2012):Flammable Ilquid - Category 3

Hazardous Combustion Products: Carbon oxides

Special protective equipment and precautions for firefighters: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

1.0

Personal precautions, protective equipment and emergency procedures: Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8, Isolate hazard area. Keep unnecessary and unprotected personnel from entering.

Methods and materials for containment and cleaning up: SMALL SPILLS (less than 1 gallon): Neutralize with soda ash or cover with dry earth, sand or other non combustible material, place into loosely covered plastic containers for later disposal. If neutralized, material can be diluted into drain. LARGE SPILL: Restrict access to area until completion of clean up. Prevent liquid from entering sewers or waterways. Stop or reduce leak if safe to do so. Dike with inert material (sand, earth, etc.), Collect into plastic containers for disposal. Ensure adequate decontamination of tools and equipment following clean up.

SECTION 7 - HANDLING AND STORAGE

Precautions for Safe Handling: Wear at least chemical resistant gloves and eye protection, face shield, and chemical resistant garments when handling, moving or using this product. Do not contaminate water, food, or feed by storage or disposal.

Conditions for Safe Storage: Keep product in tightly closed container when not in use. Do not drop, roll, or skid drum. Store in a cool, dry, well-ventilated area away from heat or open flame.

Incompatible Materials: Acids, bases and strong oxidizers.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation and angineering measures: Forced air, local exhaust, or open air is adequate.

Respiratory Protection: In case of confined spaces or high levels encountered in the air, wear self contained breathing apparatus.

Skin Protection: No additional skin protection needed.

Eye/Face Protection: Wear safety glasses, goggles and/or face shield to prevent eye contact.

Other Protective Equipment: Eye wash facility and emergency shower should be in close proximity.

General Hygiene Conditions: Do not est, drink or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated

clothing before re-use. Handle in accordance with good industry hygiene and safety practice.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Coloriess clear liquid. Odor: Alcohol odor. pH: 7-8 Melting/Freezing point: No information available. Initial boiling point and hoiling range: 180° F Flash Point: 23°C (73 °F) Evaporation Rate (nBuAc = 1): < 1 Flammability (solid, gas): Flammable Liquids - Category 3 Lower flammable limit (% by vol.): 5%

Page 3 of 4

Enviro Tech Chemical Services, Inc. 500 Winmcore Way Modesto, CA 95358

SAFETY DATA SHEET

Specific gravity: 0.89 g/ml.

Solubility In water: Complete Auto Ignition temperature: No information available. Decomposition temperature: No information available. Viscosity: 5-15 cSt at 20°C / 68°F

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: Stable under normal conditions. Chemical Stability: Stable under normal conditions Possibility of Hazardous Reactions; May react with incompatible materials Conditions to Avoid: Incompatible materials and high temperatures Incompatible Materials: Acids, bases and strong oxidizers. Hazardous Decomposition Products: Carbon oxides.

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Routes of entry - inhalation: YES

Routes of entry - skin & eye: YES

Routes of entry - ingestion: YES

Routes of entry - skin absorption: NO

Potential Health Effects:

Signs and symptoms of short term (acute) exposure:

Inhatation: Product Is initiating to the nose, throat and respiratory tract and may cause sore throat, coughing, shortness of breath and delayed pulmonary edema.

Ingestion: May cause nausea, vomiting, abdominal pain, gastroinfestinal tract bums, gastrointestinal upset and/or diarrhea.

Skin: Not a skin irritant.

Eye: May cause redness, stinging, tearing, swelling, itching and/or initiation of the eye. Possible eye damage if left untreated.

Potential Chronic Health Effects:

Mutagenicity: Not known to have mutagenic effects in humans or animals.

Carcinogenicity: No components are listed as carcinogens by ACGIH, IARC, OSHA, or NTP.

Reproductive effects: No information available.

Sensitization to material: May cause sensitization.

Specific target organ effects: No information available

Medical conditions aggravated by overexposure: No information available

Toxicological data: The calculated ATE values for this mixture are:

ATE oral = >10000 mg/kg

ATE dermai = >10000 mg/kg

ATE Inhalation = >20 mg/L

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity: May be harmful to aquatic environment. Persistence and degradability: Not expected to persist. Readily biodegradable. Bioaccumulation potential: Not expected to bioaccumlate. Mobility in soil: No information available.

SECTION 13 - DISPOSAL CONSIDERATIONS

Handling for disposal: Do not contaminate water, food, or feed by storage and/or disposal. When handling refer to protective measures listed in sections

Enviro Tech Chemical Services, Inc. 500 Winmoore Way Modesto, CA 95358

SAFETY DATA SHEET

Method of disposal: Dispose of in accordance with all applicable federal, state, provincial and local regulations, Contact your local, state, provincial or federal environmental agency for specific rules.

RCRA: Not a listed RCRA hazardous waste.

SECTION, 14 - TRANSPORTATION INFORMATION

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

Please note the GHS and DOT Standards are NOT identical and therefore can have varying classifications

US 49 CFRIDOT/IATA/IMDG Information: UN No.: 1993 UN Proper Shipping Name: Flammable liquid, n.o.s. (Ethanol) Transportation hazard class(es): 3 Packing Group: III

Environmental hazards: Not a Marine Pollutant

SECTION 15 - REGULATORY INFORMATION

US Federal information:

TSCA information: All components are listed on the TSCA inventory. US CERCLA reportable quantity (RQ): Non Regulated Material. SARA Title III: Acute Health Hazard, Fire Hazard

SECTION 16- OTHER INFORMATION

Legend:

SARA: The Superfund Amendments and Reauthorization Act

RCRA: Resource Conservation and Recovery Act

TSCA: Toxic Substances Control Act

CFR: Code of Federal Regulations

DOT: Department of Transportation

ATE: Acute Toxicity Estimate

Preparation date: 3/5/2020